







Table of Contents

Leader's Guide	2
Handwashing	4
Breakfast is for Everybody	6
Handout: Breakfast is for Everybody	
Hallword. Dieaklast is for Everybody	I I
Eating Healthy and Well	12
Kitchen Basics: Measuring	26
Handout: Wonder Waffles	
Handout: Measuring Equivalents & Equipment	35
Handout: Measuring Ingredients	37
Kitchen Basics: Cooking	39
Handout: Basic Stir-Fry Vegetables	45
Handout: Why Not Stir-Fry?	46
Make the Most of Your Food Dollars	48
Food Safety	53
Evaluation	64

[•] Kansas State University Agricultural Experiment Station and Cooperative Extension Service •





The purpose of this portion of the Basic Living Skills curriculum is to help participants develop their skills in the areas of foods and nutrition. People participating in these lessons will have the opportunity to learn information and hands-on skills in the areas of:

Handwashing

• Breakfast is for Everybody

• Eating Healthy and Well

Make the Most of Your Food Dollars

• Kitchen Basics: Measuring

• Kitchen Basics: Cooking

Food Safety

The lessons can be presented on a one-to-one basis, or to a group. Each lesson can be taught independently, and is designed to be approximately 30 to 40 minutes in length, except for the handwashing pre-lesson, which is short and can easily be taught or reviewed before another lesson as needed. The lessons can be "customized" to fit the audience and time allowed, as there are suggestions for multiple activities. Group experience and reinforcement is used to build the participant's confidence.

Each lesson lists objectives to guide the teaching/learning experience. The format is designed to be leader-friendly—equipment needed for each lesson is listed at the beginning of that lesson, a script guiding each program is provided, handout masters accompany each lessons, and suggested activities are inserted in the lesson at the point where they will maximize the participant's experience. Evaluation tools accompany this curriculum.



Leader's Guide cont'd

Leader Responsibility

- Determine audience needs and demographics.
- Read lesson ahead of time. Make notes to individualize script as needed.
- Collect equipment needed to successfully deliver lesson.
- Copy handouts as needed; order supporting materials as necessary.
- Prepare perishable ingredients as needed.
- Assure readiness of room and equipment.
- Facilitate group or individual lessons—help participants feel at ease and succeed.
- Stay neutral—remember to allow an exchange of ideas from all who want to speak.
- Control and direct technical content of lessons, but encourage exchange of ideas.
- Evaluate participants' progress.

Information written by:

Sandy Procter, RD, Extension Associate, Kansas State University, Manhattan, KS





PRE-LESSON: Handwashing

To the Leader: This Handwashing Pre-Lesson needs to accompany each lesson that includes food handling. You may want to use it as a stand-alone lesson, or just demonstrate proper handwashing prior to each food prep lesson.

Handwashing is the important first step in any food handling activity. Before cooking, and before touching clean dishes or raw food, hands must be clean.

MATERIALS NEEDED:

- Soap
- Warm water (at sink if possible)
- Clean towel or paper towels
- Glo-GermTM kit (if activity used)

OBJECTIVES:

By the end of this pre-lesson, participants will be able to:

- Demonstrate proper handwashing technique.
- List occasions when handwashing should occur.

Presenta
_

Presentation Guide

Discussion	Comments/Notes
"Hi! We're glad you're here today. Today we're going to learn about the single best practice we know of to keep our families and ourselves healthy.	
Handwashing is the important first step in any food handling activity. Before cooking, and before touching clean dishes or raw food, hands must be clean."	

Kansas State University Agricultural Experiment Station and Cooperative Extension Service



the RIGHT way to wash

Comments/Notes

Let's practice the RIGHT way to wash our hands.

Discussion

- Turn on water—warm to hot. Wet hands.
- Wet bar of soap, or squirt liquid soap into palm of wet hand. Rub hands together. Rub around wrists. Rub fronts and backs of hands. Wash for 20 seconds.
- Use nail brush if hands and nails are very dirty—it will loosen dirt.
- Once finished washing, rinse dirt and germs away with water.
- With fingers pointed toward drain, hold hands under running water.
 Rub and rinse hands and wrists.
- Dry hands on clean towel—germs live on dirty towels.

Remember, it is VERY important to re-wash your hands after handling raw meat or unwashed vegetables, after sneezing or smoking, and after handling pets or pet food dishes. Keep hands clean to keep food safe! Have participants gather around a sink. As you review handwashing steps, ask a volunteer to demonstrate.

Additional Activity:

Use Glo-GermTM or GlitterbugTM training series to complete this pre-lesson if used as a stand-alone program.

These activities emphasize handwashing training and education. Each features a non-toxic ultraviolet fluorescent material applied to participants' hands, and brings handwashing to "LIGHT"!

Brevis Corporation 3310 South 2700 East Salt Lake City, UT 84109 800-383-3377 801-485-2844 (Fax) info@brevis.com County and area extension offices may loan these kits to groups.

Page 5

Information written by:

Sandy Procter, RD, Extension Associate, Kansas State University, Manhattan, KS





Breakfast Is for Everybody

People who eat breakfast usually do better in school and on the job. Eating breakfast is an important way for all family members to have a healthy start each day.

OBJECTIVES:

By the end of this lesson, participants will be able to:

MATERIALS NEEDED:

- Dry erase board or flip chart
- Markers
- Index cards
- Pens or pencils

- · Discuss why eating breakfast is important for children, teens and adults
- Identify ways to "make time" for breakfast
- Plan quick, healthful breakfasts using the Food Guide Pyramid



Presentation Guide		
Discussion	Comments/Notes	
"We have a real variety of breakfast ideas from the group today. Let me share a few now and more later."	Accompanying Handout: • "Breakfast is for Everybody" Beginning Activity: Pass out index cards as the audience enters. Have each participant write on their card a favorite breakfast item. Pass cards to leader to share and begin the session.	
	Daga 6	

• Kansas State University Agricultural Experiment Station and Cooperative Extension Service •

Presentation Guide cont'd		
Discussion	Comments/Notes	
"You may have heard that breakfast is the most important meal of the day. Why is breakfast important? Because our bodies need fuel—we can't work or play efficiently if we don't have food to 'break the fast.'"		
"What happens to our bodies if we don't eat breakfast?"		
Answers might include 1. Too hungry to concentrate. 2. Stay sleepy or tired.		
3. Get a headache or stomachache.		
LET'S LOOK AT SOME BREAKFAST FACTS		
 Breakfast is the most frequently skipped meal, especially by teenagers and young adults. 		
 Breakfast provides nutrients our bodies need to function and feel alert. 		
 After not eating for 10-12 hours, our bodies are "running on empty." 		
 People who eat breakfast accomplish more at work and school and are physically and mentally more alert. 		
Breakfast is a good idea, but it is not necessary to sit down to a large breakfast. Nutrition-smart breakfasts can be ready-to-eat foods, or foods that are easily carried along for a breakfast on the go.		



Discussion

Comments/Notes

Let's make a list of possible breakfast combinations.

Breakfast doesn't have to be big.

Many people say they just aren't able to eat a big breakfast. That's okay—breakfast doesn't have to be big. A healthy, nutritious breakfast ideally has foods from three food groups for good variety. The amounts can be small!

Breakfast doesn't have to be sit-down.

Maybe you think there just isn't enough time for breakfast? It doesn't have to take long, but you may have to plan ahead just a bit. Prepare juice the night before, slice cheese or bake muffins ahead. Be sure you have the necessary parts to pack your breakfast to go—small plastic bags, paper cups, paper towels or napkins. Leftover fruits, biscuits or muffins work well as super-quick breakfast options.

Breakfast doesn't have to be traditional.

So you don't eat breakfast because you don't like eggs and bacon? Plan foods you will eat for breakfast, but they don't have to be "breakfast foods." Nutritious foods are healthy any time of day! A carton of yogurt makes a good breakfast food for some people, it is a snack for others, and a dessert for still others. If cereal doesn't sound appetizing in the morning, how about leftovers? A quick reheating of a casserole, a slice of leftover pizza or last night's cornbread may be just what your body needs to refuel.

Complete Activity 1:

On a flip chart or dry erase board, lead the class in creating a list of three-component breakfasts that may be small. Then, list a few that might be bigger breakfasts and discuss the beauty of variety.

Examples of small breakfasts might be: tortilla roll-ups with peanut butter and apple slices, cheese toast with juice, or a hard-boiled egg with an orange and graham crackers.

Emphasize flexibility and individuality. Incorporate ideas from the cards the group filled out.

ſ	COL
ı	
_	

Discussion

Breakfast doesn't have to be eaten right away. Do any of you have a suggestion about how to solve the problem? The main thing to remember is that breakfast doesn't have to be right away in the morning. Many people—adults, children and teens—need a little waking up time before they are hungry and ready to eat. Eating an hour or two after waking is fine. Also, you don't have to eat a full breakfast at one sitting. You might have something light to start, like a glass of juice, and then a nutritious snack a little later, like graham crackers and a glass of milk, or yogurt and a piece of fruit.	
"Let's divide into two teams and build our breakfast lists!"	
	Complete Activity 2
	"What to Eat for Brea

What to Eat for Breakfast?"

Comments/Notes

Divide the class into two teams. Provide each team with a dry erase board or flip chart. Each team is challenged to generate the longest list of foods people could eat for breakfast. One person from each team (the recorder) writes the suggestions on the board.

Allow one or two minutes to complete the list.

When the lists are completed, discuss them with the group.



Discussion Comments/Notes

What foods could be packed easily for a "go-breakfast"?

Mark these with an <u>ARROW</u>
(→). What foods are not typical breakfast foods, but are nutritious choices? Mark these with a <u>STAR</u> (★). If you want to highlight inexpensive breakfast choices, mark those foods with a <u>DOLLAR SIGN</u> (\$).

SUMMARY

Let's review what we covered in this lesson. Ask: "Why do we eat breakfast?"

- Breakfast helps adults, children and teens "break the fast" so they can perform better at work, school or play.
- Breakfast is important for good health. A healthful breakfast includes foods from at least three food groups on the Food Guide Pyramid.
- Breakfast can be small. It is important to eat something, but the amount doesn't have to be large.
- Breakfast can be on-the-go and simple.
- Breakfast can wait for you to "wake up." Start off with juice or a light food, and eat a nutritious snack later when your appetite wakes up.

Information written by:

Sandy Procter, RD, Extension Associate, Kansas State University, Manhattan, KS List the ideas from participants on the board or flip chart. You might want to just print key thoughts:

- Breakfast
- Good Health
- Three Food Groups

Also list the five highlighted thoughts shown to the left, but other offerings from your audience are valuable too!





Breakfast Is for Everybody

FACT 1

Breakfast is the meal most often skipped!



Our bodies need to refuel after not eating for 10 -12 hours!





Children and adults who EAT BREAKFAST get more done at school and work!

R E M E M B E R

Breakfast doesn't have to be BIG —

• Try to include foods from three groups of the Food Guide Pyramid. The amounts can be small!

Breakfast doesn't have to be SIT-DOWN -

• Plan for breakfast on-the-go!

Breakfast doesn't have to be TRADITIONAL -

• Be creative! Nutritious foods are healthy any time of the day.

Breakfast doesn't have to be RIGHT AWAY —

• How about something small now (maybe a glass of juice) and then something else in an hour?

Examples of Nutritious and Easy Breakfast Choices:

- Bagel topped w/cheese, peanut butter or lean deli meat
- Low-fat yogurt
- Leftover pizza, biscuit or cornbread, casserole
- Graham crackers
- Tortilla with cheese, beans or scrambled egg
- 100% fruit juice

BE CREATIVE, BUT BE SURE TO BE A BREAKFAST EATER!

• Kansas State University Agricultural Experiment Station and Cooperative Extension Service •





Eating Healthy & Well

It is important to eat a variety of foods, both for health and satisfaction. This lesson teaches the basics of good nutrition, and allows participants to make educated decisions about food selection and meal planning.

MATERIALS NEEDED:

- Tablet or flip chart
- Pen or pencil
- Food models or food pictures (i.e. Dairy Council)

Presentation Guide

Discussion

Comments/Notes

Today we're going to talk about the **basics of good nutrition**—how to feed yourself and your family in a way that is healthy, as well as satisfying. We will use the Food Guide Pyramid as our tool to build healthy meals.

The Food Guide Pyramid is important because it serves as a general guide to help you choose a healthy diet. In addition, it emphasizes eating Distribute one of the accompanying handouts.

OBJECTIVES:

By the end of this lesson, participants will be able to:

- Understand the Food Guide Pyramid and its importance.
- Learn about the five food groups.
- Acquire techniques in selecting healthy foods.
- Increase variety in menus.
- Understand why meal planning is important.

Accompanying Handout

- North Central Regional Extension Publication No. 472: "Choosing Foods for Good Health"
- -OR-
- "Eating Healthy and Well" handout

Page 12

• Kansas State University Agricultural Experiment Station and Cooperative Extension Service •

Presentation Guide cont'd	
Discussion	Comments/Notes
a variety of foods to get all the nutrients you need, while focusing on reducing fat —especially saturated fat—in the diet.	
Foods are divided into five groups, as shown in the Food Guide Pyramid. Each group provides nutrients which are needed every day. No one group provides all the required nutrients. For good health, people need foods from all five groups. We will talk about each food group individually.	
Let's look at each food group.	Go to flip chart. Can have
BREAD, CEREAL, RICE AND PASTA GROUP— Eat 6 to 11 servings each day	pre-drawn outline of Food Guide Pyramid.
Enriched breads and cereals, especially whole-grain products, provide: • B-Vitamins • Iron • Fiber	
Foods included in this group are: • Whole-grain and enriched breads • Cooked and ready-to-eat cereals • Biscuits • Pancakes/Waffles • Muffins • Cornmeal • Flour • Grits • Macaroni • Noodles • Rice • Rolled oats • Barley • Corn	As participants name foods in this group, provide food pictures to attach to base of drawn pyramid.



Discussion Comments/Notes

One serving is equal to:

- One slice of bread
- 1/2 hamburger bun, bagel or English muffin
- 1/2 cup cooked cereal, rice or pasta
- •1 ounce dry, ready-to-eat cereal (usually 2/3 to 3/4 cup of cereal)
- Four small crackers
- •One large tortilla or two small ones

How many servings of foods from the breads, cereals and grains group do you usually have each day?

How could you eat more servings from this group? What foods from this group would you enjoy including in your meals and snacks?

That's great! It's important to look at the **variety** of foods you eat in each group, too. For example, do you include foods made from different grains (wheat, corn, rice, oats) in your meals? Do you serve whole grain foods like whole wheat cereals or breads as part of your total bread, cereal and grains servings?

There are hundreds of bread, cereal and grain foods available. You might choose to buy **ready-to-eat** foods—like boxed breakfast cereal, or store-bought breads. It might be more economical or appetizing to choose foods that are **semi-prepared**—

Point out corresponding illustrations on pyramid base.

(Depending on the answer, respond with one of the following):

If the person eats too few servings, ask:

-OR-

If the person eats an adequate amount of servings, say:

To illustrate the differences, show examples of one food in different forms. An example might be biscuits—canned, frozen, packaged mix and "scratch" ingredients.



Discussion

for example, packaged noodles or pasta mixes, frozen or brown-and-serve dough, or quick-cooking oats. If time allows, you might choose to prepare foods from **scratch**—buying basic ingredients such as flour, cornmeal and rice—and building various foods and meals from a few grain products. Many people find a combination of all methods works well for them.

FRUIT AND VEGETABLE GROUPS-

Eat at least 5 servings each day

Fruits and vegetables are good sources of:

- VITAMIN A: Helps keep skin healthy, protects against night blindness, and helps the body grow. Found in dark green and deep yellow vegetables like squash, carrots, broccoli and greens.
- VITAMIN C: Builds material that connects body cells, keeps gums healthy and helps us resist infection. Best sources: citrus fruits (like oranges and grapefruit), tomatoes, strawberries and peppers.
- **FIBER:** May prevent constipation and some diseases of the large intestine. It may also help control body weight.

Variety is important when choosing fruit and vegetables, because different choices will contain different amounts of these and other nutrients. On page of flip chart, you might want to have large letters "A" and "C" in color and sketch foods that fit. Or, you might have audience members paste magazine cutouts.

Comments/Notes



Nearly all fruits and vegetables are low in fat, and contain no cholesterol, unless animal fat is added during cooking.

Discussion

One serving is equal to:

- •1 cup of raw, leafy vegetables, such as lettuce or spinach
- 1/2 cup fresh, cooked or canned vegetables
- 3/4 cup fruit or vegetable juice
- 1 medium-sized apple, orange or banana
- 1/2 cup fresh, cooked or canned fruit cut into pieces

How many servings from the fruit and vegetable groups do you usually have daily?

How could you eat more servings from this group? What foods from this group would you enjoy including in your meals and snacks?

That's great! Remember, too, that variety is important. Eating different kinds of fruits and vegetables each day assures that your body will receive a range of vitamins and minerals that will work to keep YOU healthy.

It's important to include at least five servings a day of fruits and vegetables for health's sake. The National Cancer Institute and the Produce for Better Health Foundation, as well as just about This is a good time to add fruit and vegetable selections to the large pyramid started with breads and cereals. As each portion is mentioned, have a class participant add that food to the appropriate section.

Comments/Notes

(Depending on the answer, respond with one of the following):

If the person eats too few servings, ask:

-OR-

If the person eats an adequate amount of servings, say:

1	D. 00-
ı	
ı	

every other organization and government agency concerned about nutrition, recommend five-a-Day to help protect us against certain diseases, including 13 different kinds of cancer and heart disease

Discussion

How can we get Five-a-Day? Try these tips:

- Choose fruits and vegetables in the form you like best: fresh, frozen, dried or canned. Check for seasonal specials.
- Try new combinations of foods. Add a few lightly steamed veggies to a favorite casserole, or serve fruit or vegetable salsa with meat or baked potatoes.
- Get the most from juice!
 When you drink juice, make
 sure it is 100 percent fruit or
 vegetable juice and not a
 sweetened juice drink.
- Think snack. Fruits and vegetables make easy, delicious and healthy snacks. Plan ahead for that mid-morning hunger pang, and pack an apple, some raisins or baby carrots for a simple, nutritious snack.

What are some other ideas you have?

This would be a great place for more flip charts. You can prepare them ahead with key words listed:

Comments/Notes

- Choose
- Combinations
- 100% Juice
- Snack

Key words can illustrate your discussion, or you can highlight each point with ideas contributed from your audience.

1	COS

Discussion Comments/Notes

MEAT, POULTRY, FISH, DRY BEANS, EGGS AND NUTS GROUP—

Eat 2 to 3 servings each day

<u>Important sources of protein, iron, and</u> other minerals and vitamins:

- Protein is vital to all living cells.
 Protein helps build and repair all body tissues like skin, bone, hair, blood and muscle.
- Iron helps build healthy blood.

Because each food offers different combinations of nutrients, along with protein, it is important to eat a variety of foods from this group.

- Lean, red meats supply protein, iron and several B vitamins.
- Liver and egg yolks are valuable sources of vitamin A.
- Soybeans and nuts supply magnesium, which helps your body change food into energy.
- Fish and poultry are low in calories and fat, and high in vitamins and minerals.

One serving is equal to:

- About 2-3 ounces of lean, cooked meat, poultry or fish (about the size of a deck of cards or the palm of a woman's hand)
- 1 cup cooked beans
- 2 eggs
- 4 tablespoons of peanut butter

This is a good time to add the next layer to the Food Guide Pyramid you've been building. Using the food pictures, have volunteers help add foods as you talk about them.

Also during this time, pictorial reinforcements of portion sizes would be good. These can be added to the pyramid.

J	
1	
ı	
ı	
ı	D . Y
4	

Discussion		Comments/Notes
		Comments/Notes
MILK, YOGURT AND CI	HEESE GROUP	
The number of servings rec this group vary by age grou current recommendations:		
Number of milk group ser daily	vings needed	
*Children 1-3 yr.	3	
Children 4-8 yr.	3	
Teens 9-18 yr.	4	
Adults 19-50 yr.	3	
Adults 51 + yr.	4	
*serving size equals 2/3 cup serving	o of an adult	
Foods in this group:		
*supply most of the calciu American diet - needed for bones and teeth	U	
*also provide vitamin A and protein		
*usually have vitamin D added to them		
Low-fat or skim milk products are healthier choices than whole milk products - they have the same nutrients as whole milk products, but fewer calories and less fat. Children younger than age two should have whole milk and milk products to assure healthy growth and development.		
		Page 19

Presentation Guide cont'd	
Discussion	Comments/Notes
One serving is equal to: *1 cup (8 ounces) milk or yogurt *1 + ounces natural cheese like Swiss, cheddar, mozzarella	Add food pictures or models to the Food Guide Pyramid as serving sizes are dis- cussed.
*2 ounces processed cheese, like American cheese (1 1/2 to 2 slices) * 1 cup tofu *2 cups cottage cheese	Show amounts of yogurt, natural cheese and processed slices that equal serving sizes.
It is easy to work milk and milk products into your meal and snack plans. Try these tips: *Think milk to drink with meals and snacks. *Add cheese to sandwiches, soups, casseroles.	If time allows, a food preparation demonstration that features the milk group would provide great reinforcement. Suggestions include: *milk and fruit smoothie
*Use milk instead of water in soups, hot cereals, scrambled eggs, packaged mixes where either milk or water is recommended. *Use yogurt as a snack, or as a dressing for fruit or vegetables. *Make a smoothie or lowfat pudding for an occasional treat.	*hot chocolate, or hot chocolate mix using nonfat dry milk *fruit yogurt dip for fruit slices *cheese kabob appetizers - try with fruit pieces or raw vegetable cubes



Discussion

Comments/Notes

FATS, OILS AND SWEETS—

eat very little of these foods

Most of these foods are high in calories and low in nutrients. If you are trying to lose weight, they should be eaten very moderately and only once in a while. Fats and oils have more than twice the calories, ounce for ounce, as protein, starches or sugars.

Calories are food energy, and our bodies need them. How many calories depends upon many factors:

- How much energy we use
- Our growth
- Our body size and age
 - Older people need fewer calories than younger people.
 - -Active people need more calories than less active people.
 - -Men usually need more calories than girls and women.
 - Teens need more calories than young children.

THE IMPORTANCE OF A HEALTHY DIET AND FOOD

Why is it important to eat a healthy diet?

Eating a healthy diet can prevent illness, give us more energy for work or play, and allows children to grow properly. A variety of foods, in the Add pictures to top of Pyramid here.

Calorie needs are easily illustrated by simple line drawings.

 Older people (stick figures with gray hair) need fewer calories than younger people (stick figures with pigtails).

Presentation Guide cont'd		
Discussion	Comments/Notes	
right amounts, helps each of us to be our best. A healthy diet will help keep us at a body weight that is good for us—not too thin, and not overweight. How do we select healthy foods?		
Choosing healthy foods is easy if you eat a variety from each food group (from each part of the Food Guide Pyramid) daily. It is also important to make enough selections—eat at least the minimum number of servings from each food group every day.		
For best nutrition, choose foods that are high in nutrients—like vitamins, minerals and fiber. We also need to eat foods that are less healthy (foods high in sugars and fats) less often. These foods are often said to have empty calories (calories that add to our total "calorie count" for the day), but offer us little or no nutrition in return. These foods may fit in sometimes, but they should be chosen only occasionally—exceptions to healthy choices, and not the rule.	End session with complete Food Guide Pyramid poster, and ask for questions.	
Along with all these healthy food choices, remember that water is the most essential nutrient. We need eight cups of water each day to keep us well-hydrated and help our food digest		

• Kansas State University Agricultural Experiment Station and Cooperative Extension Service •

properly. It is simple, but so important!





Eating Healthy & Well

ONE SERVING IS...

Grain Group

1 slice bread 1/2 cup cooked rice or pasta 1/2 cup cooked careal

1/2 cup cooked cereal1 oz ready-to-eat cereal

Dairy Group

1 cup milk or yogurt 1 1/2 oz natural cheese 2 oz processed cheese

Vegetable Group

1/2 cup chopped raw or cooked vegetables

Meat Group

2-3 oz cooked leanmeat, poultry or fish1 cup cooked beans2 eggs4 Tbsp peanut butter

Fruit Group

1 piece fruit3/4 cup fruit juice1/2 cup canned fruit1/4 cup dried fruit

Fats, Oils & Sweets LIMIT CALORIES

FROM THESE FOODS, especially if you need to lose weight

How Many Servings Do You Need Each Day?

	Women & some older adults	Children, teen girls, active women, most men	Teen boys & active men
Calorie Level*	about 1,600	about 2,200	about 2,800
Bread Group	6	9	11
Vegetable Group	3	4	5
Fruit Group	2	3	4
Milk Group	3-4**	3-4**	3-4**
Meat Group	2	2	3
_	for a total of 5 ounces	for a total of 6 ounces	for a total of 7 ounces

^{*} These are the calorie levels if you choose lowfat, lean foods from the five major food groups and use foods from the fats and sweets group sparingly.


Source: U.S. Department of Agriculture and the U.S. Department of Health and Human Services

^{**} Women who are pregnant or breastfeeding, teenagers, and young adults to age 24 also need 3-4 servings.



The Food Pyramid is a guide for eating each day.

Food Guide Pyramid A Guide to Daily Food Choices



The Pyramid emphasizes foods from the five food groups shown in the lower section of the Pyramid. You need foods from each of the five groups every day for good health.

The Fats, Oils and Sweets category is at the small tip of the Pyramid. Foods from this group have calories and few nutrients. Most people need to limit the foods they eat from this category.

A healthy diet means:

- Eating a variety of foods to get the nutrients you need.
- Getting the right number of calories for a healthy weight.
- · Limiting the amount of fat in your diet.





Kitchen Basics: Measuring

Careful measuring is important for successful cooking. Successful cooking, whether from "scratch" or using ready-to-prepare items, is fundamental to home meal preparation. Therefore, understanding basic ingredient measuring is essential to successful meals prepared at home, and provides part of the foundation for good nutrition.

MATERIALS NEEDED:

- Standard dry measuring cup set
- Liquid measuring cup
- Measuring spoons & serving tablespoon
- Straight-edge spatula
- Rubber scraper
- · Jar with measurements marked
- · Baby bottle
- Meal-type teaspoon
- Waffle iron and ingredients for "Wonder Waffles"
- Optional measuring utensils for "awards"

OBJECTIVES:

By the end of this lesson, participants will be able to:

- Identify why accurate measurements are important.
- Understand the difference between liquid and dry measure.
- Recognize different techniques in measuring flour, sugars and shortening.
- Identify items that can be substituted for measuring cups and spoons.



Presentation Guide

Discussion

Hi! We're glad you're here today, as we learn how careful measuring can help us be successful when we cook or bake. Correct measuring is important, whether we use mixes or recipes.

Comments/Notes

Accompanying Handout:

- "Measuring Equivalents and Equipment"
- "Measuring Ingredients"

(Distribute in plastic page covers if possible.)



Let's consider some important points about measuring. In a recipe, amounts of ingredients can be given in several ways. Most ingredients are measured by **volume**, or the amount of space they take up. For example, a recipe might list "1 cup uncooked macaroni."

Discussion

Common amounts that are measures of volume include:

NAME	ABBREVIATION
teaspoon	tsp. or t.
tablespoon	Tbsp. or T.
cup	c.
ounce	OZ.
pound	lb.

The abbreviation of measures are often used in recipes. It is important to notice the difference between a "t." and a "T." in recipes. Notice all the different measures in the recipe that was passed out to you.

Some ingredients are measured by **weight**, or heaviness, such as "1 pound ground beef." A few ingredients may be measured by the **number** of items, such as "two large bananas" or "one egg."

Accurate measures will help you get good results when you cook and bake. There are different ways to measure dry ingredients, liquids and fats. We will talk about each of the different ways to measure ingredients.

Handout copies of "Wonder Waffles"

Comments/Notes

WONDER WAFFLES

Stir together 2 1/4 c. all-purpose flour, 4 tsp. baking powder, 3/4 tsp. salt and 1 1/2 T. sugar.

Mix 2 beaten eggs, 2 1/4 c. milk and 1/2 c. salad oil; add all at once to dry ingredients, beating only until moistened.

Bake in preheated waffle iron. Makes 10 to 12 waffles. This recipe offers many opportunities to measure dry and liquid ingredients.



Discussion

Comments/Notes

Dry measure cups usually come in a set of several sizes. A typical set of dry measuring cups includes a 1/4 cup, a 1/3 cup, a 1/2 cup and a 1 cup measure. Some sets may have more, but these are the basic cups found in most sets. Measuring spoons usually come in a set of four or five. Most ordinary sets include a 1/4 teaspoon, a 1/2 teaspoon, a 1 teaspoon and 1 tablespoon. Some sets will have more, but we can measure ingredients in most recipes with this basic set.

Dry measures are used to measure dry ingredients such as flour, sugar, dry milk, cornmeal and dry beans. They can also be used for foods such as diced meat, chopped vegetables and applesauce.

HERE ARE THE STEPS TO TAKE WHEN MEASURING DRY INGREDIENTS:

- Put a plate or piece of waxed paper under the measuring cup to catch any extra ingredients. Don't measure an ingredient while holding the cup over the mixing bowl—it is easy to spill extra into your mix!
- 2. Fill the cup with the ingredient. Some ingredients, like flour and sugar, must be spooned into the cup lightly. If you shake or tap the cup, you will pack in too much of the ingredient. Other ingredients, like brown sugar,

Show a basic set of dry measure cups. You may want to show plastic, metal and other varieties to your group.

Show measuring spoons as you discuss them.

Discuss the different kinds of measures. Some sets look like scoops instead of cups. Ask participants what they have at home.

This activity may work best if the leader demonstrates, or it may be more successful if volunteers are selected from the group to illustrate. It is important that the person(s) demonstrating wash his or her hands before beginning. See Handwashing Pre-Lesson.

In order to illustrate a variety of measurement techniques, have participants measure and set aside ingredients for recipe "Wonder Waffles." This recipe has numerous dry and wet measures needed and is fairly inexpensive.



Discussion

Comments/Notes

should be packed down, or you will not measure enough of the ingredient into your mix.

- 3. Level off the top of the cup using the straight edge of a knife or spatula. Let the extra fall on the plate or waxed paper. Put the extra back into the original container.
- 4. Pour the ingredient into the mixture. With semi-solid foods, such as applesauce or honey, use a rubber scraper to make sure all of the ingredient has been emptied out of the cup.
- 5. For amounts smaller than 1/4 cup, use measuring spoons. Dry ingredients are usually measured by leveling them off evenly at the rim of the spoon. Some recipes call for a "heaping" measure. In that case, you would NOT level off the spoon. A "heaping" measure will give almost twice the amount you would get in a leveled-off measure.
- 6. Sometimes the recipe will call for 1/8 teaspoon, and the 1/4 teaspoon is the smallest measure we have. Fill the 1/4 teaspoon measure and level it off. Then, using the tip of a knife, remove half of the ingredient from the spoon.

To organize, you will want the recipe pre-written on poster board or a flip chart. As participants measure the ingredients, with dry and wet in separate bowls, ...

Show this process if time permits. Emphasize how much ingredient may be wasted without a scraper.

... your discussion about cups, spoons, liquid measure and pinch can continue.



Comments/Notes

Be sure to put the excess back into the original container.

Discussion

7. You may see recipes that call for even smaller amounts of dry ingredients—a dash or a pinch. This is the amount of ingredient that can be held between the thumb and finger. These amounts are usually for herbs and spices, when a little goes a long way.

This could be fun to try with volunteers. Ask, "Who would like to pinch for the group today?"

Liquid measuring cups are usually clear, or almost clear, and they have measurement markings on the side. They are usually marked in fractions of a cup, such as 1/4, 1/3, 1/2, 2/3 and 3/4 cup. There is a space above the top mark, to make it easier to measure and move a filled cup. A spout makes pouring easier. Common sizes are 1-cup, 2-cup and 4-cup measures.

Show various types—
plastic, glass, even metal—
tricky to use accurately at first.

If you do not have a liquid measuring cup, you can make do with other items you have, such as a baby bottle and marked jars. Liquid measuring cups are used to measure liquids such as water, salad oil, milk and juice.

Show how the baby bottle has measurement marks on it, and talk about other jars that might come with measurement marks on them. (Example: some peanut butter jars)

HERE ARE THE STEPS TO TAKE WHEN MEASURING LIQUID INGREDIENTS:

1. Set the cup on a level surface. If you try to hold it in your hand, you may tip it and get too much or too little of your ingredient.



2. Carefully pour the liquid into the measuring cup.

Discussion

- **3.** Bend down to check the measurement at eye level. Be sure you are accurate.
- **4.** Add more liquid, or pour off extra if needed, until the top of the liquid is at the desired mark.
- **5.** Pour the ingredient into the mixing bowl. If needed, use a rubber scraper to empty the cup completely.
- **6.** For small amounts of liquids, use measuring spoons. To measure 1/8 teaspoon of a liquid ingredient, dribble it into the 1/4 teaspoon measure until it looks half full.

FOLLOWING ARE THE STEPS FOR MEASURING FATS LIKE BUTTER, MARGARINE OR SHORTENING:

Stick Method:

A handy method to use for fat that comes in sticks—butter, margarine or stick shortening. The wrapper is marked in tablespoons and in parts (fractions) of a cup. Simply cut off the amount you need. Be sure to wrap or seal what is left.

Comments/Notes

These liquid measurement techniques will be demonstrated as participants measure waffle ingredients.
Set aside liquid ingredients for later mixing.

"When might a recipe call for 1/8 tsp. of a liquid?"
Answers might include:
hot sauce, or flavorings such as almond or butter flavors.
There may be others.

A class participant may ask about the "liquid dispersal" method of measuring shortening. If asked, mention that it is accurate, quick and simple. It may involve math skills that challenge—so it is mentioned as an alternate method.

Pres	entation Guide cont'd	
	Discussion	Comments/Notes
Measuring C Method:	Pack the fat down into the cup, pressing firmly to fill all the air spaces. Level off the top. Using a rubber scraper, scrape as much of the fat as possible out of the cup and into your mixing container.	
	le iron. Lightly mix dry and gredients; mix only until	
Who would latter?	like to help mix the waffle	<u>Complete Activity:</u> Bake waffles in pre-heated waffle iron. The waffles can
Now you can even supper!	fix waffles for breakfast or	be cut into small squares and served with various toppings, like strawberry ice cream topping or applesauce.
	ne awards to hand out now Is are a reward themselves!	To close, distribute the giveawa measuring spoons after your demonstration. Present the measuring giveaways as award for "best liquid measurer," "best spooner," etc., until every one has won a set or cup.
•	itten by: er, RD, Extension Associate, e University, Manhattan, KS	





Kitchen Basics: Measuring

ACTIVITY

FOR A SMALL GROUP:

Collect clear jars that hold at least one cup. Using permanent markers, help your participants mark jars to use as measuring cups. You will want to mark the jar for 1/4, 1/3, 1/2, 2/3, 3/4 and 1 cup levels. Participants will take the jars home with them.

FOR A LARGE GROUP:

Pass out assorted measuring utensils and common ingredients to audience participants. After each participant has a measuring cup, spoon, liquid measure, or some ingredient, instruct the "ingredients" to match up with the measuring utensil that would measure them. So, a participant holding the milk carton, for example, would move to find a liquid measuring cup. This game is fun when participants really think—milk could match up with a tablespoon, as might be seen in a cookie recipe. Also stress to the group to match up in a way that makes sense—spices usually are measured by a teaspoon or part of a teaspoon, not by the cup. This activity helps participants see how they would use measuring utensils with recipes.

A variation on this activity might be to have two teams "race" to line up human "measuring utensils" for an enlarged recipe on a poster or blackboard. The captain of each team would line up persons who are wearing tags that read, "dry measuring cup," "1/2 cup liquid measure," "1/4 teaspoon," etc. The fastest team, with correct line up, wins an inexpensive set of measuring spoons or cups for each participant on the team.

Small local grants from area women's clubs, auxiliaries, church groups, etc. might fund the purchase of inexpensive measuring cups or spoons for each participant in this program.





Kitchen Basics: Measuring

WONDER WAFFLES

2 1/4 cups all-purpose flour4 teaspoons baking powder3/4 teaspoon salt1 1/2 Tablespoons sugar

2 eggs, beaten2 1/4 cups skim milk1/2 cup salad oil

In a large bowl, stir together flour, baking powder, salt and sugar. Set aside. In medium bowl, mix beaten eggs, milk and oil. Add all at once to dry ingredients, beating only until moistened. Bake in preheated waffle iron. Makes 10-12 waffles.

Calo		n Fat 9 ly Value 169 49 129 149
omg J drate		16° 4° 12° 14°
omg J drate	22g	4° 12° 14°
omg J drate	22g	12°
drate	22g	14
drate	22g	
	22g	70
	n 1 orar	n 3º
٠	Vitam	in C 0
•	Iron 8	1%
ily values your calc	may be h orie needs	igher or
		80g
		25g 300mg
	2,400mg	
֡	ily values your calc alories: ess than ess than ess than	• Iron 8 ss are based on a 2 ily values may be h your calorie needs alories: 2,000 ess than 65g ess than 20g ess than 300mg





Measuring Equivalents & Equipment

ABBREVIATIONS USED IN RECIPES: Some recipes will use abbreviations to identify the amount of an ingredient. Common abbreviations are:



Tablespoon = Tbsp. = T.

Teaspoon = tsp. = t.

Pound = lb.

Ounce = oz.

Cup = C = c.

3 teaspoons = 1 tablespoon

 $4 ext{ tablespoons} = 1/4 ext{ cup}$

 $5 \frac{1}{2}$ tablespoons = $\frac{1}{3}$ cup


8 tablespoons = 1/2 cup


10 tablespoons + 2 teaspoons = 2/3 cup

12 tablespoons = 3/4 cup

16 tablespoons = 1 cup

2 tablespoons = 1 fluid ounce





1 cup = 8 fluid ounces

1 cup = 1/2 pint

2 cups = 1 pint


4 cups = 2 pints = 1 quart

4 quarts = 1 gallon

16 ounces = 1 pound


USING THE CORRECT MEASURING EQUIPMENT: Accurate measuring devices help you achieve the same good results every time you use a recipe.

LIQUID INGREDIENTS (WATER, MILK, VEGETABLE OIL, SYRUP)




- Use a 1-cup liquid measuring cup that is see-through and marked for smaller measurements.
- Pour the liquid into the cup and check at eye level to make sure the correct amount is measured.
- Use 2-cup and 4-cup liquid measuring cups for larger amounts.

SMALL AMOUNTS OF INGREDIENTS (SALT, BAKING SODA, SPICES, FLAVORINGS)



- Amounts less than 1/4 cup are usually measured using spoons.
- A standard spoon set of 1/4, 1/2, 1 tsp. and 1 Tbsp. is used for both dry and liquid ingredients.

DRY INGREDIENTS (FLOUR, SUGAR, CORN MEAL, SOLID SHORTENING)



- Use a set of four graduated measuring cups.
- Stir or fluff flour or powdered sugar before measuring.
- Spoon the dry ingredient into a measuring cup that holds the amount that you need when filled to the rim.
- Level off the dry ingredient with the flat side of a knife or spatula.






Measuring Ingredients

MEASURING SHORTENING: Liquid shortenings, such as salad oil and melted butter or margarine, can be measured in the same way as liquids. Measure shortenings such as lard, vegetable shortening, or even peanut butter as shown below.


Pack in the shortening firmly, to the top of the measuring spoon or graduated cup.



Level off the shortening with the flat side of a table knife.

MEASURING BUTTER OR MARGARINE: Each 1/4-pound stick of butter or margarine measures 1/2 cup. The wrapping is usually marked off in table-spoons for measuring smaller amounts.

With a sharp knife, cut off the number of tablespoons needed, following the guidelines on the wrapper.






For butter or margarine not wrapped this way, measure and level off as solid shortening.

MEASURING LIQUIDS: Always read the line on a measuring cup at eye level when checking the volume of liquid in a cup.

If using measuring spoons, pour the liquid just to the top of the spoon without letting it spill over.







With the liquid measure on a level surface, slowly pour the liquid into the cup until it reaches the desired line.

MEASURING SUGAR: Lightly spoon sugar into a graduated measuring cup and level off with a straight edge or spatula.

Brown sugar: Pack the sugar lightly into the cup with the back of the spoon, then level off. It will hold its shape when inverted from the cup.





Source

MEASURING FLOUR: Directions apply to flours measured and used straight from the package or canister, without sifting.

Lightly spoon flour into a graduated measuring cup or spoon; never pack flour down or shake or tap the side / of

the measuring cup. Then, quickly level off surplus in the measuring cup with flat side a table knife.

University of Nebraska Cooperative Extension: Food Preparation NEP Handout 1 BLT

the of





Kitchen Basics: Cooking

Cooking at home saves money and can improve nutrition. With a few basic skills, and the understanding of some basic cooking terms, participants will be able to successfully prepare meals and snacks.

MATERIALS NEEDED:

- Flip chart and markers
- Kitchen tools and substitutes (see Page 4)
- Ingredients and equipment for stir-fry recipe to demonstrate cooking terms
- Recipe/index cards and pencils/pens

Presentation Guide

Discussion

Comments/Notes

"Let's begin today by finding out what foods you like to fix!"

Food preparation, or cooking, is an art that requires some knowledge and skill, but can be fun and easy! Many changes occur while food is being prepared. These changes can happen *before* foods are cooked, *during* cooking, or after foods are cooked.

Opening Activity:

Hand out index/recipe card to participants as they arrive.

"What is a favorite food you like to fix or wish you knew how to prepare? Write it on the card and, if you'd like, share it with all of us."

Leader can talk about

OBJECTIVES:

By the end of this lesson, participants will be able to:

- Recognize the importance of measuring for successful cooking.
- Follow a recipe.
- Identify common items to substitute for kitchen tools.
- **Understand** basic cooking terms.
- **Understand** basic cutting terms.
- **Understand** basic mixing terms.

Accompanying Handout:

- "Why Not Stir-Fry?" (2-sided handout)
- "Basic Stir-Fry Vegetables"

how each recipe develops through basic cooking techniques that will be used today.



Recipes are formulas or maps used to
guide us when we prepare food. When we
follow a recipe correctly, the proper
changes will occur to the food. This
lesson will help you develop the skills
and knowledge you need to make good,
nutritious food.

Discussion

Measuring carefully is important for successful cooking. Tips for success are:

- Use *liquid measuring cups* to measure liquids such as water, salad oil, milk and juice.
- Use dry measuring cups to measure flour, sugar, dry milk, cornmeal and solid shortening.
- Use *measuring spoons* for measuring either liquid or dry ingredients.

Cooking begins with following a recipe. The four steps to following a recipe are:

- 1. Make sure you have the ingredients.
- 2. Clear and clean a work area.
- 3. Collect all the ingredients and equipment you will need.
- 4. Follow the steps in the recipe.

Today we are going to prepare this stir-fry vegetable dish. Let's look at each of these steps closely, and see what it takes to be ready to cook.

1. **Make sure you have the ingredients.** Read the recipe to

Draw a large "recipe card" on poster board or a flip chart. List the four steps to following a recipe.

Comments/Notes

- 1. Make sure you have the ingredients.
- 2. Clear and clean a work area.
- 3. Collect all the ingredients and equipment you will need.
- 4. Follow the steps in the recipe.

Set out ingredients for stir-fry recipe (included).

6	0	0	J	
l				
Ų	A	٠	Z	

Discussion

make sure you have all the ingredients and equipment needed and enough time to prepare the recipe. Wash your hands.

2. Clear and clean a work area. It is easier to pay attention to the recipe when your work area is clean, neat and clutter-free. In order to make clean, safe food, we have to prepare it in a clean area, with clean equipment, clean hands and safe ingredients—ingredients that have been stored properly in the refrigerator or cupboard.

- 3. Collect all the ingredients and equipment you will need. Set out all of the ingredients listed in the recipe. Place all the needed utensils and equipment in the work area.
- 4. **Follow the steps in the recipe.** Prepare the recipe as described, and be sure to follow the steps in order.

Remember—**clean up** is part of every recipe, even though it may not be written! Replace ingredients, soak bowls and utensils, and wipe down the counter or table. If you clean as you go, you will find that the job goes quickly.

Clean and spray/sanitize work area in front of class. You can show and distribute sanitizing solution recipe here if desired ...

Comments/Notes

1 t. chlorine bleach 1 qt. water

Mix in spray bottle. Spray on clean surfaces, allow to air dry.

Г	2	72	
И	~		
П		. 1	
И	M.	\mathcal{L}	

Presentatio	n Guide cont'd	
Discus	sion	Comments/Notes
Certain kitchen tools a easier. If you do not ha recipe calls for, there a can substitute.	nake your work ave all the tools a	
If you do not have a: Measuring cup Cookie sheet	Baby bottle or marked jar	Activity: Show appropriate item to substitute. Depending on audience, you may want to
Rolling pin	Smooth bottle or glass	spend more or less time discussing items that make good
Measuring spoon	Regular spoon or soup spoon	kitchen utensil substitutes.
Mixing bowl	Deep pan	
Cutting board	Sturdy plate	
Biscuit/cookie cutter	Lid, rim of jar or glass	
Soup ladle	Cup with handle	
Spatula	Knife (or 2 knives)	
Pot holder	Folded, dry towel	
If you understand cutterms and cooking tends able to follow and preywant to make. Let's talk some of these important	rms, you will be pare the recipes you ke a look at what	
		Page 42



Discussion	Comments/Notes
CUTTING TERMS: Chop to cut into small pieces Dice to cut into tiny cubes Grate to rub foods against a grater to divide into smaller pieces Slice to cut into thin, flat pieces Pare to peel	Show the different cutting techniques as you prepare items to stir-fry. Ask for volunteers to finish each method; be sure everyone washes her/his hands first!
MIXING TERMS:	
Cream to mix together sugar with fat until soft and creamy Cut in to work fat into dry ingredients with a pastry blender or two knives—with the least amount of possible blending	This is often the first step in mixing cookies. Might use this method when making pie crust or cornbread.
Foldto use a spatula or knife to wrap one ingredient into others in a circular, top-to-bottom motion	This technique is used to add fruit to a batter or whipped
Knead to stretch, fold and press	mixture, like a topping.
dough gently Stirto mix with a circular motion Whipto beat rapidly to add air	We knead dough to develop the protein in the flour—usually for bread or rolls
COOKING TERMS:	
Braise to brown meat in a small amount of fat, then cook slowly in a covered container with a small amount of liquid Broil to cook directly over or under heat	Can use a hand whip, beater or electric mixer for this.
	Page 43

Presentation Guide cont'd		
Discussion	Comments/Notes	
Roast to bake meat in the oven Saute to cook in a small amount of fat Simmer to cook in liquid below the boiling point so bubbles form slowly and break just below the surface Steam to cook in steam in a covered container Stir-fry to cook quickly in a small amount of hot fat, stirring constantly	This is a good opportunity for a cooking/pre-preparation display Choose simple recipes that use number of the terms defined above. Suggestions would include a stir-fry vegetable and meat dish over rice (to include chopping, slicing, grating, steaming and stir-frying), and a baked item like a cake or quick bread (to highlight mixing terms). Encourage participants to prepare ingredients for the recipes, and discuss the cooking terms used during preparation. Measuring techniques and methods could also be demonstrated during	
Information written by: Sandy Procter, RD, Extension Associate,	this part of the program.	





Kitchen Basics: Cooking

BASIC STIR-FRY VEGETABLES makes 4 servings


3 cups sliced or chopped fresh vegetables 1 clove garlic, optional, OR 1/8 teaspoon garlic powder 1 to 2 tablespoons soy sauce 2 tablespoons vegetable oil

- 1. Slice or chop cleaned vegetables into small, evenly shaped pieces. Set aside.
- 2. Heat a large frying pan.
- 3. Add 2 tablespoons oil to pan, and heat to medium-hot (375 degrees).
- 4. Add root vegetables, garlic and onion, if desired. Stir to coat well with oil.
- 5. Stir-fry for 2 to 3 minutes until they are partially cooked. May need to add a few drops of water and cover with lid while cooking root vegetables.
- 6. Add remaining vegetables and soy sauce.
- 7. Stir-fry until tender-crisp, 2 to 3 minutes.
- 8. Serve immediately.


Note: Cooking time will vary with cut, age and variety of vegetables.







Why Not Stir-Fry?



For successful stir-frying, meats and vegetables must be thinly sliced or cut into similar-sized pieces. You may slice, bias-cut, julienne strip or roll-cut ingredients for stir-frying. By varying the shape of the cut vegetables, you not only add interest to your dish, but you also control how quickly the ingredients will cook.

How much will you cook? Limit the amount you stir-fry at one time to about 3 cups. Plan on at least 3/4 cup of uncooked vegetables per serving.

To stir-fry a combination of foods, start with meat pieces in a small amount of hot oil. When meat is thoroughly cooked, add vegetables, beginning with ones that take longest to cook, such as carrot strips or fresh green beans. Stir-fry only until vegetables are crisp-tender. Season stir-fry creations according to your personal tastes. Some seasonings, such as garlic, soy sauce, ginger and Worcestershire sauce, add unique flavors that are often found in Asian stir-fry dishes. Even simple additions like lemon juice, seasoned salt and pepper will accent your creation.


On the next page are some basic guidelines for stir-frying. You can combine a number of vegetables, or use only two or three. Enjoy!













Ingredients	Quantity	Preparation Directions	Stir-Fry Time
Asparagus (fresh)	3/4 pound	Remove tough portion of stem, bias-slice into 1-inch lengths	4 to 5 minutes
Bok Choy	1/2 pound bunch	Thinly slice	3 minutes
Broccoli (fresh)	1/2 pound	Cut flowerets into bite-size pieces, thinly slice stems	3 to 4 minutes
Cabbage	1/2 of small head	Core and coarsely shred or slice	3 minutes
Carrots	10 to 12 baby carrots or 3 medium	Thinly bias-slice	4 to 5 minutes
Celery	3 stalks	Thinly bias-slice	3 to 4 minutes
Green Beans	1/2 pound	Bias-slice into 1-inch pieces. Precook, covered, in a small amount of boiling water for 4 minutes	3 minutes
Green Onions	4 each	Bias-slice into 1-inch lengths	1 1/2 minutes
Green Pepper	1 medium	Cut into 3/4- inch pieces or strips	1 1/2 minutes
Mushrooms	1/4 pound	Slice vertically (t-shape)	1 minute
Onion	1 medium	Slice into thin wedges	3 minutes
Pea Pods (fresh)	6 to 8 ounces	Remove tips and strings	2 to 3 minutes
Zucchini or Yellow Squash	1/2 to 1 med.	Slice 1/4- inch thick, leave peel on if tender	3 to 3 1/2 minutes

Sources:

Flaming, SK; A "Wok" on the Light Side; K-State Research and Extension, Riley Co. University of Nebraska Cooperative Extension: Food Preparation. Nutrition Education Program.





Make the Most of Your Food Dollars

We have many opportunities to save money as we work to get the most from our food dollar. By following an organized plan, we can save time and money, while we improve nutrition, variety, efficiency and satisfaction with our meals.

MATERIALS NEEDED:

- Paper and pencils for each participant
- Flip chart and markers

Discussion

- Envelope
- Incentives for participation
- Grocery ads from local/area newspapers
- Nutrition labels from food packages

OBJECTIVES:

By the end of this lesson, participants will be able to:

- Plan meals and snacks several days in advance.
- Increase variety in menus.
- Shop wisely with lists, ads and coupons.
- Store foods properly to reduce waste.



Presentation Guide

"Were you able to plan a meal for yourself or your family from the ads?"

STEP 1: Plan Your Meals & Snacks

When planning your meals and snacks, you will want to consider many things:

- 1. What foods do my family like?
- **2.** What new or different foods could I include to add variety to meals?
- **3.** What foods do I already have on hand?

Beginning Activity:

Let the group divide into pairs. Pass out grocery store ads to each pair and have them plan a meal for a family from the sale items listed in the ads.

Comments/Notes

Discuss:

- How using ads can save \$
- How using ads to plan meals helps us use seasonal items
- How planning meals saves time and money Page 4

Presentation Guide cont'd	
Discussion	Comments/Notes
4. How much time do I have for meal preparation?	
5. What convenience foods will I use?	
6. What foods are "good buys"? (seasonal foods, advertised sale items)	
7. Are my menus nutritious? Do they follow the Food Guide Pyramid?	See "Eating Healthy and Well" section of this series to review
STEP 2: Write Your List	Food Guide Pyramid information.
From your menus, make a grocery list that includes ingredients for recipes you've planned, basic foods you need to restock, and advertised items you have included in your menu.	
 Check for foods you have on hand. Don't forget to consider amounts you will need. Do you have enough of each ingredient, even if you need it more than once for your menus? Write the sale price next to advertised items on your list. Group similar foods together on your 	
list. It will save you time when shopping if, for example, all milk products are listed together.	
STEP 3: Where Will You Shop?	
Compare supermarkets to find one economically-suited to your shopping needs. Food cooperatives, super "warehouse" stores and independent stores may or may not meet your needs. If nonfood items are a large part of your shopping list, a discount store may be	

themost economical stop.

J	
1	
ı	
ı	
Į	

Beware of convenience stores. Although they may be nearby, you pay high prices for that convenience, and your food dollar can't last. Plan your food purchases ahead of time and shop at stores or markets that help you make the most of your food dollar. Convenience stores are for emergencies only!

Discussion

STEP 4: Get Ready

Take your list along, and any coupons for foods that are on your list. Remember, a coupon reduces costs only if the food or product is something you NEED. Avoid shopping when you are tired, hungry or rushed. It is important to have time to read labels, compare prices, and double check your list to be sure you have purchased what you need.

STEP 5: At the Store

Stick to your list. Compare prices—larger sizes, store brands and coupon items may not always be the best buy. Check higher and lower shelves for less costly items. Pick up cold or frozen items toward the end of your shopping—they will arrive home at a colder temperature.

Read nutrition labels on items you select and use the information to make wise buying choices. What do labels tell us?

Serving sizes (in common household measurements).

Show envelope and say, "An envelope is a good way to keep track of coupons and to list items you need to buy at the store."

Comments/Notes

Show nutrition label to illustrate their use.

Is it enough for your family?

Discussion	Comments/Notes
 Selected nutrients important to our health. Percentage (%) Daily Value shows how a food fits into an overall daily diet. Numbers to help us avoid eating too much fat, saturated fat, cholesterol and sodium. Numbers to help us get enough dietary fiber, vitamin A, vitamin C, calcium and iron. Daily Values are based on recommended nutrient intakes when 2,000 calories per day are eaten. Daily Values are also listed for 2,500 calories per day diets. 	Are you paying for a "fruit drink" or 100% fruit juice?
Handle and store food properly to reduce waste. Buying ground beef in a 3-pound package may save you many cents per bound, but if you'll only use one pound at a time, now is the time to divide the package and freeze individual pounds in Greezer-safe bags or wrap. Store fruits and wegetables unwashed to lengthen their shelf lives, but be sure to wash before use. Let's write a list of foods you might buy on a grocery shopping trip. What does our list tell us?	Activity:

Discussion	Comments/Notes
What foods are favorites?	Are these foods nutritious, or would they fit better into the "other" category—sweets, high fat foods, empty calorie snack or drinks?
 Are you writing your list with a specific menu in mind? 	Remember, we save money on our groceries by planning menus and buying groceries to meet those menus.
 Will you be likely to buy foods that are not on your list? 	Why or why not?
Why do we need to plan foods for snacks?	Snack foods can be expensive. Family members—especially children—get hungry and need snacks, but if snacks are not planned, foods planned for a meal may be eaten. Healthy snacks play an important part of good overall nutrition.
 How could you improve your list-writing skills to increase your efficiency and reduce your grocery costs? 	Some answers might include: checking on-hand supplies before writing your list, planning and writing menus, checking recipes for necessary purchases and organizing the list to group similar products together
	<u>Suggested Participation</u> Incentives:
I nformation written by: Sandy Procter, RD, Extension Associate, Kansas State University, Manhattan, KS	Grocery list pads, coupon organizers, pad and pen comb for list-writing, coupon clipped or magnet might be low-cost program enhancements.





Food Safety

Food must be safe if it is to keep us healthy. We make many choices that affect the safety of our food. By learning about food safety decisions, we can choose to help keep our food SAFE!

MATERIALS NEEDED:

- Markers and flip chart or poster board.
- Food containers illustrating "sell by," "best if used by" and "expiration" dates.
- Various thermometers, including food stem (bi-metal) thermometer, meat ther mometer and refrigerator thermometer.

OBJECTIVES:

By the end of this lesson, participants will be able to:

 Shop, store, prepare and serve food SAFELY!

<u>Accompanying</u> Handouts:

- Food Storage Charts
- Magnet—Safe Temperatures for Holding Foods
- "Fight BAC!"
 Brochure USDA
 & FDA

Presentation Guide	
Discussion	Comments/Notes
"Come in! Find a thermometer and let's practice reading temperatures!"	Opening Activity: Leader can show thermometers "at work" in refrigerator, if available. Have volunteers read temperatures to begin discussion. • Find and read thermometer in refrigerator • Boil water; check ice water • Talk about buying and using thermometers

Presentation Guide cont'd	
Discussion	Comments/Notes
Hi! We're glad you're here today! We're going to learn about keeping food safe—to keep us and our families healthy.	
We have many opportunities to <u>buy</u> safe food, to <u>store</u> food safely, to <u>prepare</u> it with safety in mind and to safely <u>serve</u> and reheat it.	
Let's start with food-safe shopping tips. SAFE SHOPPING TIPS:	
Check eggs to make sure there are no cracks. Cracks can let germs into the egg.	
 Do not buy cans with dents, bulges, rust or leaks. The food inside may be unsafe. 	
 Put fresh meat in plastic bags to prevent it from dripping and contaminating other food in grocery cart and refrigerator at home. 	
 Check frozen foods to be sure they are firmly frozen. 	
IT'S A DATE Many foods have dates stamped on their packages that mean different things. The	

packages that mean different things. The most common dates are "sell by," "best if used by" and "expiration."

SELL BY: Usually found on dairy products, cold cuts and fresh bakery items. These dates show the last day a store can sell a product.

Show examples of food containers with the dates on them. Pass items around (multiples if it is a large group) and talk about where the dates are found and what each means.

,	0	Z	2.	
П		-	n	١
и	N.		9	ı

You can safely use this product in your home for one week after the "sell by" date.

Discussion

BEST IF USED BY: Found on cereals, frozen foods and snack items. These dates mean that the quality of the food goes down after the date. Foods with this stamp can be safely used for several days after the stamped date, but will not be as fresh.

EXPIRATION: May be found on eggs, yeast and baby food. These dates mean the last day a food should be used or eaten.

After food is purchased, it is important to safely STORE foods. In warm weather, try to get food home and put away in less than one hour after purchase. You can keep your cold foods colder during your trip from the store if you pack cold and frozen foods in the same bag. If you must go a long while before foods can be refrigerated, you may want to bring a cooler along and put your frozen foods and meats in the cooler for the trip.

PRACTICE KEEPING FOOD SAFE!

At home, a clean kitchen and safe food handling practices protect you and your family from the risk of illness caused by bacteria in foods. What can you do to keep food safe during storage? Check the K-State web site at http://www.oznet.ksu. edu/ext_f&n for food storage times charts for cupboards and refrigerator/freezer and other supporting handouts.

Comments/Notes



Discussion

Comments/Notes

- Wash your hands before and after handling raw food.
- •Remember the two-hour rule: Refrigerate or freeze perishables within two hours of purchase, refrigerate or freeze prepared food within two hours of purchase or preparation if it is not to be eaten immediately, and chill leftovers within two hours after serving.
- Refrigerate foods like meat, poultry or fish in the store wrappers, and keep their juices from dripping onto other foods. If you will not use these foods in two days, freeze them. If you buy meats in large quantities, divide them into meal portions and wrap and freeze them separately.
- Refrigerate eggs in their carton so they stay fresh longer and do not absorb odors.
- Most fresh fruits and vegetables stay fresh longer in the refrigerator.
 Potatoes, bananas and onions stay fresh when stored in a cool, dry place outside the refrigerator.
- Bread and other baked goods stay fresh at room temperature for 3-4 days. Bread can also be frozen. Do not store bread in the refrigerator, because it will stale more quickly.

Review procedure from Handwashing Pre-Lesson.

Emphasize this rule by listing it on poster board or flip chart. Let it stand so it is viewed throughout the rest of the lesson.

┰	-	-	
И	وي		
Ш	1		
Ш		. 10	
Ш	N.		
41	EA.	~	

•Store flour, sugar and other dry
staples in containers with tight-
fitting lids. Keep them cool and dry.

Discussion

• Store canned foods in cabinets away from the stove or oven.

TAKE THE TEMPERATURE

Keeping food safe is a matter of degrees—degrees on the thermometer. Following are some important food safety facts to keep in mind.

The general rule in storing, cooking and serving food is:

- Keep hot foods hot (above 140° Fahrenheit) and cold foods cold (below 40° F). This range, between 40° and 140° F, is called the food safety danger zone. To keep food safe, keep it OUT of the danger zone as much as possible.
- When cooking food, or cooling leftovers after cooking, move food RAPIDLY through the danger zone to the hotter temperatures to assure thorough cooking, or the colder temperatures of cold storage. Remember, the temperature of your kitchen is in the danger zone, so store foods promptly!

It is important to check the refrigerator and freezer temperature to be sure your appliances can keep your food safe. Two magnets are helpful handouts to accompany this section:

Comments/Notes

- "Is it Done Yet?"—Cooking foods to proper temperatures. Available for \$1.00 each from K-State Research & Extension, (785) 532-5681.
- "Safe Temperatures for Holding Foods" are 75 cents each for orders of 10 or more, (785) 532-1670.



Discussion

Comments/Notes

SAFE TEMPERATURES ARE:

Refrigerator 40° F Freezer 0° F

Even a few degrees difference in your refrigerator or freezer can mean changes in food quality, and possibly FOOD SAFETY!

THAWING FROZEN FOODS SAFELY

The BEST way to thaw frozen food is in the refrigerator. Plan ahead for the use of frozen foods—move them from the freezer to refrigerator to thaw *before* you need them. Many foods will thaw adequately within 24 hours in the refrigerator. Some foods will be ready to use in just a few hours; others, like larger meat roasts, may take longer than one day. IT IS NEVER SAFE TO THAW FOOD

ON THE COUNTERTOP!

You may also thaw food safely in your microwave. Follow directions for your microwave when thawing foods. It is best to cook and use foods right away that have been thawed in the microwave, as the uneven heating of the frozen food as it thaws may warm part of the food to temperatures in the danger zone. It's not good to freeze, thaw and refreeze foods. The food can become unsafe.

WHEN IS IT DONE?

Use a meat thermometer to tell when poultry or meat roasts are done. Use a food stem thermometer to tell when

Show refrigerator thermometer and pass around. Talk about where these would be available locally.

Show the meat thermometer and pass it around the group.

Show the difference in the food stem (or bi-metal) thermometer.



individual pieces of meat, like a hamburger patty or a chicken breast, are done. The thermometer should penetrate the thickest part of the food, away from the bone. If the food is a casserole or loaf, place a thermometer in the center of the dish. Cooking food to the proper endpoint temperature will kill harmful bacteria or other organisms.

Discussion

RAW PRODUCT INTERNAL TEMP.
(degrees Fahrenheit)

Ground Products
Hamburger 160°
Beef, pork, lamb 160°

Beef, Lamb, Veal

Chicken, turkey

Roasts & Steaks

med-rare

medium

well-done

145°

160°

170°

Pork

Chops, roasts, ribs	
medium	160°
well-done	170°
Hams, fresh	160°
Sausage	160°

The difference between them is: a meat thermometer can be used in the oven, while the roast (for example) cooks. A food stem thermometer is for a quick temperature check. Insert the tip into the thickest part of the meat or food, allow it to register the temperature, AND REMOVE!

Comments/Notes

Discuss methods for proper temperature taking.

Page 59

165°

Presentation	n Guide cont'd			
Discuss	ion	Comments/Notes		
RAW PRODUCT INTERNAL TEMP. (degrees Fahrenheit)		(Table adapted for home use — consistent with consumer		
Poultry Chicken, whole & pieces 180° Duck 180° Turkey, not stuffed 180° whole 180° breast 170° dark meat 180° Stuffing, cooked separately 165° Eggs Fried, poached firm yolk & white Casseroles 160° Sauces, custards 160° It is best to use a thermometer to be sure meat is cooked safely and done. There is no other way to be certain meat is completely cooked! Food-stem		consistent with consumer guidelines from USDA and FDA.) This chart is for your reference. You may want to highlight three or four of the temperatures your audience would be likely to use and show them on a poster or overhead.		
thermometers cost und purchased at any discost store, as well as at man Do not eat raw eggs. We someone eat raw egg?	unt or hardware y supermarkets.	Likely answers might include:		



Discussion

It is important to cook eggs until the
white is no longer clear, and the yolk is
thick and set, not runny. An undercooked
egg may contain harmful organisms that
can make us sick. It is especially
important that elderly people and very
young children NOT eat raw eggs.
What about reheating leftovers? It is
important to heat food to a high enough
temperature to be sure it is safe. Heat
leftovers to 165° F. Be sure to stir foods
as they reheat to assure even heating.

CROSS CONTAMINATION

It is important to keep everything that comes in contact with food CLEAN. This means hands, dishes, utensils, work surfaces, knives and cutting boards. If a dirty surface touches food, it is a chance for cross-contamination.

Cross-contamination is the scientific term for how bacteria can be spread from one food product to another.

Cross-contamination can be prevented, and our food will stay safer, if we remember to keep things clean. What are some examples of things you can do to keep food healthy and clean, and prevent cross-contamination?

What do you do?

- Don't put grilled meat onto the same plate you carried the raw meat out on.
- Wash can openers often—the cutting surface can harbor organisms.

Have participants help you create a list of how cross-contamination could occur. Write the list on a board or flip chart. Be sure the following items are included:

Comments/Notes

- Grilled meat
- Wash can openers



Discussion

Comments/Notes

- Use a fresh, clean dishcloth daily.
- Thoroughly clean cutting boards between uses. Sanitize wooden and plastic cutting boards with a sanitizing solution. In your stopped, clean sink, add one teaspoon chlorine bleach into one quart of water—or—one tablespoon of chlorine bleach into one gallon of water. Use the solution to wipe counters, faucets, handles, etc. Do not put bleach directly onto the cutting board. Cutting boards in two or more colors may help you keep foods separate.
- Refrigerate meats and poultry carefully; don't let juices drip onto other foods. Thaw meats on a plate or pan to keep juices from dripping.

SUMMARY

In summary, you have the power to keep food safe from harmful bacteria. It's as easy as following these four simple steps:

1. Clean:

Wash hands and surfaces often

2. Separate:

Don't cross-contaminate

3. Cook:

Cook to proper temperatures

4. Chill:

Refrigerate promptly

• Use clean dishcloth

- Sanitize wooden and plastic cutting boards
- Refrigerate meats and poultry carefully

Use flip chart to list the summary for the group. Ask participants to help you list. Provide each participant a copy of the "Fight BAC!" brochure.

www.fightbac.org

Presentation Guide cont'd	
Discussion	Comments/Notes
Thank you for coming today—and thanks for making safe food a part of your life. It's simple, but it is MOST IMPORTANT for you and your family.	Sources:
	Fight BAC! Four Simple Steps
	to Food Safety.
	Food Preparation. University of Nebraska Cooperative Extension, NEP Handout 1 BL7. K-State Research and Extension Food Safety Fact Sheet. Flood Fact Sheet— Sanitize Kitchen Utensils After the Flood, MF2127. Acknowledgment: A special thank you to Dr. Karen Penner, K-State
	Research and Extension, for her assistance and review of Basic Foods and Nutrition curriculum.
Information written by: Sandy Procter, RD, Extension Associate, Kansas State University, Manhattan, KS	Page 63





Evaluation instruments are included to measure progress toward the following objectives:

- **A:** Participants will become aware of their food need for basic foods and nutrition skills.
- **B:** Participants will determine which of these basic skills they want to acquire or improve, and they will develop and implement a plan to achieve these skills.
- **C:** Participants will increase their competencies in food and nutrition skills.
- **D:** Participants will report improvement in their food and nutrition skills and activities.

Participants may write NA in any blank if it is not applicable to their situation.

Please send completed evaluation forms to:

Paula Peters, Ph.D. Assistant Director, FACS K-State Research and Extension 119 Justin Hall - KSU Manhattan, KS 66505





Instrument to be administered before classes —

Please answer the following questions. Your name will not be attached to this piece of paper or to your answers. Confidentiality will be respected at all times. The information you share with us will help us evaluate, develop and deliver Extension Family and Consumer Sciences programs more effectively. Please use a \checkmark or \checkmark or fill in the best answer for each line.

Measurable Objective A:

"Evaluating My Need to Know More About Food and Nutrition Topics"

	1	2	3	4	5
How important is it for me to know more about	Not Important At All	Not Important	Maybe	Important	Very Important
Handwashing					
Food safety					
Making the most of my food dollar					
Eating healthy and well					
Breakfast basics					
Kitchen basics: measuring					
Kitchen basics: cooking					



Instrument to be administered before classes —

Measurable Objective B:

My Plan for Improving My Skills

HANDWASHING

ID WASHING
During the next six months, I would like to improve my skills in handwashing.
☐ Yes ☐ No
My goals for improvement in the area of handwashing: (please check all that apply) ☐ Learning when my hands should be washed ☐ Learning the correct method for washing my hands ☐ Learning to encourage my children to wash their hands more often ☐ Other (please write in)
Date I plan to achieve these goals:
(date)
My plan for achieving these goals includes: ☐ Making sure soap and clean towels are available at each sink ☐ Reminding myself to wash before starting to prepare food ☐ Other (please write in)
My plan for putting these handwashing goals into action includes: ☐ Washing my hands after I touch raw meat ☐ Washing my hands after handling unwashed vegetables ☐ Washing my hands after feeding my pet ☐ Other (please write in)



Measurable Objective B:

My Plan for Improving My Skills

FOO	D SAFETY
1.	During the next six months, I would like to improve my food safety skills.
2.	My goals for improvement in the area of food safety: (please check all that apply) ☐ Knowing when items I prepare are thoroughly cooked ☐ Thawing food properly ☐ Buying and storing food safely ☐ Other (please write in)
3.	Date I plan to achieve these goals:
4.	My plan for achieving these goals includes: Learning to use a food thermometer when I cook Preventing cross-contamination Other (please write in)
5.	My plan for putting these food safety goals into action includes: ☐ Checking the temperature of meats I cook on the grill ☐ Thawing all meat in the refrigerator ☐ Other (please write in)



Measurable Objective B:

My Plan for Improving My Skills

MAKING THE MOST OF MY FOOD DOLLAR

V = 1 = =	
1.	During the next six months, I would like to improve my skills in making the most of my food dollar. ☐ Yes ☐ No
2.	My goals for improvement in the area of making the most of my food dollar are: (please check all that apply) To have enough money for food for the whole month To learn how to shop for the best buys for my money Other (please write in)
3.	Date I plan to achieve these goals:
	(date)
4.	My plan for achieving these goals include: ☐ Reading ads to find the best buys ☐ Collecting recipes I can prepare ☐ Planning my meals ahead of time ☐ Other (please write in)
5.	My plan for putting these eating healthy and well goals into action include: Shopping from my list I have made Using leftovers wisely Other (please write in)



Measurable Objective B:

My Plan for Improving My Skills

EAT	ING HEALTHY AND WELL
1.	During the next six months, I would like to improve my skills in eating healthy and well. No
2.	My goals for improvement in the area of eating healthy and well are: (please check all that apply) To choose foods from all groups of the Food Guide Pyramid To eat a variety of foods from each food group Other (please write in)
3.	Date I plan to achieve these goals:
4.	(date) My plan for achieving these goals includes: □ Planning my meals to include foods from the five food groups □ Increasing the servings of fruits and vegetables I eat each day □ Other (please write in)
5.	My plan for putting these eating healthy and well goals into action includes: Trying one new food or recipe each week Eating healthy snacks Other (please write in)
	Page 60



Measurable Objective B:

My Plan for Improving My Skills

BREAKFAST BASICS

1.	During the next six breakfast basics. ☐ Yes	months, I would like to improve my skills in
2.	(please check all that ☐ To eat breakfa ☐ To have foods	
3.	Date I plan to achie	eve these goals:
		(date)
4.	☐ Thinking how	ng these goals includes: breakfast could fit in my day ods I could have "on hand" for quick breakfasts write in)
5.	includes: ☐ Planning my k ☐ Preparing juic	g these breakfast basics goals into action breakfast before I go to bed e the night before, to save time write in)



Measurable Objective B:

My Plan for Improving My Skills

KITCHEN BASICS: MEASURING

1.	During the next six months, I would like to improve my skills in measuring ingredients. ☐ Yes ☐ No
2.	My goals for improvement in the area of measuring ingredients are: (please check all that apply) ☐ To understand measuring terms and equipment ☐ To be able to measure needed ingredients for mixes and recipes ☐ prepare ☐ Other (please write in)
3.	Date I plan to achieve these goals:
	(date)
4.	My plan for achieving these goals includes: ☐ Checking to see what measuring cups and spoons I have ☐ Practicing accurate measuring of liquids ☐ Other (please write in)
5.	My plan for putting these ingredient-measuring goals into action includes: ☐ Carefully measuring ingredients for each recipe I prepare ☐ Other (please write in)



Measurable Objective B: My Plan for Improving My Skills KITCHEN BASICS: COOKING During the next six months, I would like to improve my skills in cooking. ☐ Yes □ No 2. My goals for improvement in the area of cooking skills are: (please check all that apply) ☐ To understand cooking terms and methods ☐ To learn skills needed to successfully prepare recipes I choose ☐ Other (please write in)_ Date I plan to achieve these goals: 3. (date) My plan for achieving these goals includes: 4. ☐ Reading recipes ahead to be sure I have ingredients on hand ☐ Using equipment I have to substitute for what a recipe calls for ☐ Other (please write in)_ My plan for putting these basic cooking goals into action includes: 5. ☐ Trying a new recipe that uses a term I have learned ☐ Cooking more meals at home ☐ Other (please write in)_____



Instrument to be administered following classes —

Measurable Objectives C:

Evaluating My Progress Toward Meeting My Goals

	1	2	3	4	5
Progress I have made toward accomplishing my goals in these areas	I Do Not Plan to Improve	I Plan to Improve	I Am Improving Somewhat	I Am Improving Well	I Have Improved
Handwashing					
Food safety					
Making the most of my food dollar					
Eating healthy and well					
Breakfast basics					
Kitchen basics: measuring					
Kitchen basics: cooking					



 Instrument to be administered before classes, following classes and at 6- and 12-month follow-ups —

Measurable Objective D:

An Assessment of How My Food and Nutrition Activities Affect My Health and Well-Being

	1	2	3	4	5
How often do you	Never	Sometimes	About 1/2 of the Time	Often	Always
HANDWASHING					
Wash your hands before you eat					
Wash your hands before you work with food					
FOOD SAFETY					
Keep raw meat separate from other foods					
Let meat and dairy foods sit out for more than two hours					
Cook a hamburger until it is no longer pink					
Cook eggs until they are no longer runny					
MAKE THE MOST OF MY FOOD DOLLAR					
Use a plan for how to spend your money					
Plan your meals ahead of time					
Shop with a list					
Compare prices before you buy food					

[•] Kansas State University Agricultural Experiment Station and Cooperative Extension Serv ice •



 Instrument to be administered before classes, following classes and at 6- and 12-month follow-ups —

Measurable Objective D:

An Assessment of How My Food and Nutrition Activities Affect My Health and Well-Being

	1	2	3	4	5
How often do you	Never	Sometimes	About 1/2 of the Time	Often	Always
EATING HEALTHY AND WELL		•			
Eat meals that include a variety of foods from the Food Guide Pyramid					
Eat more than one kind of vegetable or fruit per day					
Eat at least five servings of fruits and vegetables per day					
BREAKFAST BASICS					
Eat breakfast					
Eat breakfast that includes foods from at least three groups of the Food Guide Pyramid					
Plan your breakfast ahead of time					
KITCHEN BASICS: MEASURING					
Use measuring cups or spoons or substitutes when you cook					
Measure carefully when you cook					
KITCHEN BASICS: COOKING					
Cook part or all of a meal or snack					
Follow the way the recipe suggests when you are cooking					
					Page 75

[•] Kansas State University Agricultural Experiment Station and Cooperative Extension Serv ice •

Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned. Publications from Kansas State University are available on the World Wide Web at: http://www.oznet.ksu.edu Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. In each case, credit Sandy Proctor, Basic Foods and Nutrition, Kansas State University, July 2001. Kansas State University Agricultural Experiment Station and Cooperative Extension Service S-134b JULY 2001 It is the policy of Kansas State University Agricultural Experiment Station and Cooperative Extension Service that all persons shall have equal opportunity and access to its educational programs, services, activities, and materials without regard to race, color, religion, national origin, sex, age or disability.

Kansas State University is an equal opportunity organization. Issued in furtherance of Cooperative Extension Work, Acts of May 8 and June 30, 1914, as amended. Kansas State University, County Extension Councils, Extension Districts, and United States Department of Agriculture Cooperating, Marc A.

Johnson, Director.